COMMUNICATION S

Federal Communications Commission

Approved by OMB 3060-0999 See instructions for public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2016 - December 31, 2016 Filing Confirmation Number: 0007624385

Filing Deadline: March 23, 2017 FRN: 0015991664

Filing Date: 01/17/2017 04:55 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: PR Wireless Inc.
Brand Names: Open Mobile

PO Box:

Street Address: 1 Street, Suite 300, Chrysler Bldg., Metro Office Park

City: Guaynabo

State: PR Zip Code: 00968

Contact Name: Adrian Gonzalez
Contact Phone: (787) 554-6736
Contact Fax: (787) 782-8621

Contact Email: adrian.gonzalez@openmobilepr.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: Only the UNIMAX U671 does not include labeling. The rating is posted at our website.

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)? N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: http://www.openmobilepr.com/equipos/beneficio/politica-de-accesibilidad

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Open Mobile's compliant handset models are publicly identified for consumers. Compliant models are listed on Open Mobile's website, which also includes a complete explanation of the hearing-aid ratings and capabilities. Also Open Mobile educate its retail sales people regarding digital wireless capabilities and hearing-aid compliance.

Methodology for Functionality Levels

Open Mobile's handset offering are divided into five (5) categories considering their characteristics, features and retail prices. These categories go from a Low Tier category to a Smartphone category. Each category and category subdivision is assigned a letter and a number based on functionality levels and hearing-aid capabilities. Categories range from A1 to E6. For example, the Low Tier handsets are A1 for those handsets rated at least M3 but not T3, and A2 those handsets rated T3 and M3. For Medium and higher categories, functionality levels are assigned accordingly.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 31

Air Interface	Fully Hearing Aid Compatible Number Percent			Acoustic Coupling Compatible Only Number Percent	Non-Compliant Handsets Number Percent		Total by Air Interface
CDMA	3)	97%		1	3%	31
LTE	2	5	100%				26

Handset 1: Alcatel POP 4

Handset Maker

Alcatel

Handset Model Name FCC ID
POP 4 RAD535

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 09/15 to 08/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 2: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 5s BCG-E2642A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 06/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 3: Apple iPhone 6

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 6 BCG-E2816A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 4: Apple iPhone 6+

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 6+ BCG-E2817A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 5: Apple IPHONE 6S

Handset Maker

Apple

Handset Model Name FCC ID

IPHONE 6S BCG-E2946A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/16

M-Rating: M3 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 6: Apple IPHONE 6S PLUS

Handset Maker

Apple

Handset Model Name FCC ID

IPHONE 6S PLUS BCG-E2944A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 7: Apple iPhone 7

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 7 BCG-E3085A

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 09/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 8: Apple iPhone 7 Plus

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 7 Plus BCG-E3087A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 09/16 to 12/16

M-Rating: M3 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 9: Apple iPhone SE

Handset Maker

Apple

Handset Model Name FCC ID

iPhone SE BCG-E3042A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 04/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 10: AVVIO AVVIO C622

Handset Maker

AVVIO

Handset Model Name FCC ID

AVVIO C622 WVBAC622X

1900 MHz CDMA

Dates

This handset model was offered from: 03/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 11: Coolpad TATTOO

Handset Maker

Coolpad

Handset Model Name FCC ID

TATTOO R38YL3623A

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 06/16 to 12/16

M-Rating: M3 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 12: HTC Desire 526

Handset Maker

HTC

Handset Model Name FCC ID

Desire 526 NM80PM3100

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 13: HTC Desire 530

Handset Maker

HTC

Handset Model Name FCC ID

Desire 530 NM82PST300

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 10/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 14: LG AN170

Handset Maker

LG

Handset Model Name FCC ID

AN170 ZNFVN170

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 12/14 to 12/16

M-Rating: M3 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A3

Remarks

Handset 15: LG F 90

Handset Maker

LG

Handset Model Name FCC ID

F 90 ZNFVS876

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 09/14 to 10/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 16: Motorola Moto E

Handset Maker

Motorola

Handset Model Name FCC ID

Moto E iHDT56QC8

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 08/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 17: Motorola Moto G

Handset Maker

Motorola

Handset Model Name FCC ID

Moto G IHDT56PF3

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 10/16

M-Rating: M3 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 18: Motorola MOTO G PLAY

Handset Maker

Motorola

Handset Model Name FCC ID

MOTO G PLAY IHDT56VD4

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 11/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 19: Motorola Moto X

Handset Maker

Motorola

Handset Model Name FCC ID

Moto X IHDT56QA2

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 12/14 to 06/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 20: Motorola Moto X Play

Handset Maker

Motorola

Handset Model Name FCC ID

Moto X Play iHDT56UB1

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 11/15 to 12/16

M-Rating: M4 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 21: Pantech ADR 930

Handset Maker

Pantech

Handset Model Name FCC ID

ADR 930 JYCPREMIAV

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 09/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 22: Pantech ADR8995(Breakout)

Handset Maker

Pantech

Handset Model Name FCC ID

ADR8995(Breakout) JYCAPACHE

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 06/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 23: Samsung Core Prime

Handset Maker

Samsung

Handset Model Name FCC ID

Core Prime A3LSMG360V

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/16

M-Rating: M3 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 24: Samsung Note 5

Handset Maker

Samsung

Handset Model Name FCC ID

Note 5 A3LSMN920V

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 11/15 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 25: Samsung S4 Mini

Handset Maker

Samsung

Handset Model Name FCC ID

S4 Mini A3LSCHI435

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 02/14 to 08/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 26: Samsung S6

Handset Maker

Samsung

Handset Model Name FCC ID

S6 A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/16

M-Rating: M4 T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 27: Samsung S6 Edge

Handset Maker

Samsung

Handset Model Name FCC ID

S6 Edge A3LSMG925V

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 28: Samsung S7 Edge

Handset Maker

Samsung

Handset Model Name FCC ID

S7 Edge A3LSMG935US

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 10/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 29: Samsung S7 FLAT

Handset Maker

Samsung

Handset Model Name FCC ID

S7 FLAT A3LSMG930US

Air Interfaces/Frequency Bands

700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 04/16 to 12/16

M-Rating: M4 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 30: Unimax MXC-540

Handset Maker

Unimax

Handset Model Name FCC ID

MXC-540 U46-CDM2030

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 06/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 31: Unimax U671C

Handset Maker

Unimax

Handset Model Name FCC ID

U671C P46-U670C

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 10/14 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

No Labeling

Certification

This Report has been certified by:

Stephan Termaat CFO 01/17/2017 04:55 PM